

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://coperion.nt-rt.ru/> || cno@nt-rt.ru

Series 2400 Receivers



Our most versatile line of receivers for a variety of bulk materials

Series 2400 powder and pellet receivers provide high capacity vacuum sequencing systems for powder, pellet, regrind and granular materials.

The receivers utilize a common vacuum blower package and are primarily used on multiple destination applications.

SERIES 2400 RECEIVER SELECTION CHARTS

• PELLET RECEIVERS FOR GENERAL CONVEYING



2424 pellet receiver with gravity flap valve

(with standard gravity discharge gate)

Model	Receiving Volume	Conveying Rate
2406 Pellet	1 dm ³ [0.039 ft ³]	327 kg/h [720 lb/h]
2410 Pellet	11.7 dm ³ [0.41 ft ³]	1180 kg/h [2600 lb/h]
2415 Pellet	28.5 dm ³ [1 ft ³]	2722 kg/h [6000 lb/h]
2424 Pellet	134 dm ³ [4.74 ft ³]	6800 kg/h [15000 lb/h]

Note: Rates are based on a system profile of 15.2 m [50 ft] horizontal, 4.6 m [15 ft] vertical, 3 m [10 ft] hose, 2 x 90° bends. Convey rates may vary depending on product characteristics and conveying distance.

Hazardous location options (ATEX, NEC) available.

•

POWDER RECEIVERS FOR GENERAL CONVEYING



2415 pellet receiver with gravity flap valve

(with standard gravity discharge gate)

Model	Receiving Volume	Conveying Rate

2410 Powder	11.7 dm ³ [0.41 ft ³]	408 kg/h [900 lb/h]
2415 Powder	28.5 dm ³ [1 ft ³]	1000 kg/h [2200 lb/h]
2420 Powder	33 dm ³ [1.16 ft ³]	1225 kg/h [2700 lb/h]
2423 Powder	70.8 dm ³ [2.05 ft ³]	1406 kg/h [3100 lb/h]
2424 Powder	134 dm ³ [4.74 ft ³]	3175 kg/h [7000 lb/h]

Note: Rates are based on a system profile of 15.2 m [50 ft] horizontal, 4.6 m [15 ft] vertical, 3 m [10 ft] hose, 2 x 90° bends. Convey rates may vary depending on product characteristics and conveying distance.

•

PELLET RECEIVERS FOR FEEDER REFILL




(with discharge valve for refilling feeders)

Model	Receiving Volume	Conveying Rate
2410 Pellet	9.7 dm ³ [0.34 ft ³]	1180 kg/h [2600 lb/h]

2415 Pellet	22.8 dm ³ [0.8 ft ³]	2722 kg/h [6000 lb/h]
2424 Pellet	106 dm ³ [3.74 ft ³]	6800 kg/h [15000 lb/h]

Note: Rates are based on a system profile of 15.2 m [50 ft] horizontal, 4.6 m [15 ft] vertical, 3 m [10 ft] hose, 2 x 90° bends. Convey rates may vary depending on product characteristics and conveying distance.

- POWDER RECEIVERS FOR FEEDER REFILL



2410 Powder Receiver with slide gate for feeder refill

(with discharge valve for refilling feeders)

Model	Receiving Volume	Conveying Rate
2410 Powder	9.7 dm ³ [0.34 ft ³]	408 kg/h [900 lb/h]
2415 Powder	22.8 dm ³ [0.8 ft ³]	1000 kg/h [2200 lb/h]
2420 Powder	19.8 dm ³ [0.7 ft ³]	1225 kg/h [2700 lb/h]
2423 Powder	44 dm ³ [1.55 ft ³]	1406 kg/h [3100 lb/h]

2424 Powder	106 dm³ [3.74 ft³]	3175 kg/h [7000 lb/h]
-------------	--------------------	-----------------------

Note: Rates are based on a system profile of 15.2 m [50 ft] horizontal, 4.6 m [15 ft] vertical, 3 m [10 ft] hose, 2 x 90° bends. Convey rates may vary depending on product characteristics and conveying distance.

Архангельск (8182)63-90-72 Астана (7172)727-132 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Волгоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89 Иваново (4932)77-34-06	Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Липецк (4742)52-20-81	Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16	Пермь (342)205-81-47 Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13	Сургут (3462)77-98-35 Тверь (4822)63-31-35 Томск (3822)98-41-53 Тула (4872)74-02-29 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Ярославль (4852)69-52-93
Киргизия (996)312-96-26-47	Россия (495)268-04-70	Казахстан (772)734-952-31		

<https://coperion.nt-rt.ru/> || cno@nt-rt.ru